HSC Public Health Agency

You can reduce the risk of **Sudden infant death**

The safest place for your baby to sleep is on their back in a moses basket or cot in the same room as you for the first six months, even during the day.

<u>Never</u>, ever fall asleep with your baby on an armchair or sofa.

<u>Never</u>, ever allow anyone who has been smoking, drinking or taking drugs (including medication) to share a bed with your baby.



X

X

Do

- For at least the first six months your baby must be in the same room as you or their carer for every sleep (day and night). Your baby must have a clear, flat sleep surface (no pillows, no quilts or duvets, no bumpers, no pods, nests or sleep positioners).
- Place your baby to sleep on their back in the 'feet to foot' position (feet touching the bottom of the cot).
- Use a light blanket firmly tucked no higher than the baby's shoulders.
- 🕗 Use a clean, firm, well-fitting mattress.
- Breastfeed if you can, because it reduces the risk of sudden infant death.
- Put your baby back to sleep in their cot after any feeding.
- If using a baby sleeping bag, make sure it is fitted with neck and armholes, and no hood.

Don't



Tips for safer bedsharing

- Put your baby on their back in a clear, flat sleep space.
- Keep pillows and adult bedding away from your baby to avoid obstructing breathing or overheating.
- Do not leave your baby alone in an adult bed.
- Make sure your baby cannot be trapped, wedged or fall out of bed or get trapped between the mattress and wall.
- Do not have other children or pets sharing the bed as this may lead to suffocation or overheating your baby.

<u>Print</u>